


Molecular Dynamics (MD) on GPUs

Feb. 2, 2017



Accelerating Discoveries


Using a supercomputer powered by the Tesla Platform with over 3,000 Tesla accelerators, University of Illinois scientists performed the first all-atom simulation of the HIV virus and discovered the chemical structure of its capsid – “the perfect target for fighting the infection.”

Without gpu, the supercomputer would need to be 5x larger for similar performance.

nature

THE INTERNATIONAL WEEKLY JOURNAL OF SCIENCE


THE HIV-1 CAPSID



*Atomic
structure
of the AIDS
pathogen's
protein coat*


PAGE 643

Overview of Life & Material Accelerated Apps



MD: All key codes are GPU-accelerated

- ▶ Great multi-GPU performance
- ▶ Focus on dense (up to 16) GPU nodes &/or large # of GPU nodes
- ▶ ACEMD*, AMBER (PMEMD)*, BAND, CHARMM, DESMOND, ESPResso, Folding@Home, GPUgrid.net, GROMACS, HALMD, HOOMD-Blue*, LAMMPS, Lattice Microbes*, mdcore, MELD, miniMD, NAMD, OpenMM, PolyFTS, SOP-GPU* & more



QC: All key codes are ported or optimizing

- ▶ Focus on using GPU-accelerated math libraries, OpenACC directives
- ▶ GPU-accelerated and available today:
 - ▶ ABINIT, ACES III, ADF, BigDFT, CP2K, GAMESS, GAMESS-UK, GPAW, LATTE, LSDalton, LSMS, MOLCAS, MOPAC2012, NWChem, OCTOPUS*, PEtot, QUICK, Q-Chem, QMCPack, Quantum Espresso/PWscf, QUICK, TeraChem*
- ▶ Active GPU acceleration projects:
 - ▶ CASTEP, GAMESS, Gaussian, ONETEP, Quantum Supercharger Library*, VASP & more

green* = application where >90% of the workload is on GPU

MD vs. QC on GPUs

“Classical” Molecular Dynamics	Quantum Chemistry (MO, PW, DFT, Semi-Emp)
Simulates positions of atoms over time; chemical-biological or chemical-material behaviors	Calculates electronic properties; ground state, excited states, spectral properties, making/breaking bonds, physical properties
Forces calculated from simple empirical formulas (bond rearrangement generally forbidden)	Forces derived from electron wave function (bond rearrangement OK, e.g., bond energies)
Up to millions of atoms	Up to a few thousand atoms
Solvent included without difficulty	Generally in a vacuum but if needed, solvent treated classically (QM/MM) or using implicit methods
Single precision dominated	Double precision is important
Uses cuBLAS, cuFFT, CUDA	Uses cuBLAS, cuFFT, OpenACC
Geforce (Workstations), Tesla (Servers)	Tesla recommended
ECC off	ECC on

GPU-Accelerated Molecular Dynamics Apps

Green Lettering Indicates Performance Slides Included

- ▶ ACEMD
- ▶ AMBER
- ▶ CHARMM
- ▶ DESMOND
- ▶ ESPResSO
- ▶ Folding@Home
- ▶ GPUGrid.net
- ▶ GROMACS
- ▶ HALMD
- ▶ HOOMD-Blue
- ▶ LAMMPS
- ▶ mdcore
- ▶ MELD
- ▶ NAMD
- ▶ OpenMM
- ▶ PolyFTS


Benefits of MD GPU-Accelerated Computing

Why wouldn't you want to turbocharge your research?


- 3x-8x Faster than CPU only systems in all tests (on average)
- Most major compute intensive aspects of classical MD ported
- Large performance boost with marginal price increase
- Energy usage cut by more than half
- GPUs scale well within a node and/or over multiple nodes
- K80 GPU is our fastest and lowest power high performance GPU yet

Try GPU accelerated MD apps for free – www.nvidia.com/GPUTestDrive

ACEMD



ACEMD: Extremely efficient and robust MD software built on GPUs



470 ns/day on 1 GPU for L-Iduronic acid (1362 atoms)

116 ns/day on 1 GPU for DHFR (23K atoms)

M. Harvey, G. Giupponi and G. De Fabritiis, *ACEMD: Accelerated molecular dynamics simulations in the microseconds timescale*, J. Chem. Theory and Comput. 5, 1632 (2009)

ACEMD


- **Standardised and easy to use:** ACEMD reads CHARMM/NAMD and AMBER input files and uses similar syntax to other MD software.
- **Fully featured:** NVT, NPT, PME, TCL, PLUMED, CAMSHIFT¹
- **Robust:** ACEMD is a proven computational engine and is used in one of the largest distributed computing projects worldwide: GPUGRID.
- **Compatible:** ACEMD works with CUDA and OpenCL, the new standard framework for parallel and high-performance computing.
- **Validated:** ACEMD is used in reputable academic and industrial institutions. Results describing its applications have appeared in peer-reviewed journals of high impact such as PNAS, PLoS and JACS.²

¹ M. J. Harvey and G. De Fabritiis, *An implementation of the smooth particle-mesh Ewald (PME) method on GPU hardware*, J. Chem. Theory Comput., 5, 2371–2377 (2009)


² For a list of selected references see <http://www.acellera.com/acemd/publications>

AMBER 16

June 2017




JAC_NVE on GP100s



Running **AMBER** version 16

The **green nodes** contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


JAC_NVE on GP100s



Running **AMBER** version 16

The **green nodes** contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


JAC_NPT on GP100s



Running AMBER version 16

The green nodes contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


JAC_NPT on GP100s



Running AMBER version 16

The green nodes contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


FactorIX_NVE on GP100s



Running AMBER version 16

The green nodes contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


FactorIX_NPT on GP100s



Running AMBER version 16

The green nodes contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


Cellulose_NVE on GP100s



Running AMBER version 16

The green nodes contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


Cellulose_NPT on GP100s



Running **AMBER** version 16

The **green nodes** contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


STMV_NPT on GP100s



Running **AMBER** version 16

The **green nodes** contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


TRPCAGE on GP100s



Running **AMBER** version 16

The green nodes contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)


Myoglobin on GP100s



Running **AMBER** version 16

The green nodes contain Dual Intel(R)
Core(TM) i7-4820K @ 3.70GHz CPUs +
Quadro GP100s GPUs (PCIe and NVLink)

Nucleosome on GP100s




Running **AMBER** version 16


The green nodes contain Dual Intel(R) Core(TM) i7-4820K @ 3.70GHz CPUs + Quadro GP100s GPUs (PCIe and NVLink)

AMBER 16

February 2017



PME-Cellulose_NPT on K80s




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-Cellulose_NPT on P100s PCIe




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-Cellulose_NPT on P100s SXM2




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-Cellulose_NVE on K80s




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-Cellulose_NVE on P100s PCIe




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-Cellulose_NVE on P100s SXM2




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-FactorIX_NPT on K80s




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-FactorIX_NPT on P100s PCIe




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-FactorIX_NPT on P100s SXM2




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-FactorIX_NVE on K80s




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-FactorIX_NVE on P100s PCIe




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-FactorIX_NVE on P100s SXM2




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-JAC_NPT on K80s




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-JAC_NPT on P100s PCIe




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-JAC_NPT on P100s SXM2




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-JAC_NVE on K80s




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-JAC_NVE on P100s PCIe




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

PME-JAC_NVE on P100s SXM2




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

GB-Myoglobin on K80s




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

GB-Myoglobin on P100s PCIe




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

GB-Myoglobin on P100s SXM2




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

GB-Nucleosome on K80s




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

GB-Nucleosome on P100s PCIe




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

GB-Nucleosome on P100s SXM2




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Rubisco-75K on K80s




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Rubisco-75K on P100s PCIe




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Rubisco-75K on P100s SXM2




Running **AMBER** version 16.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs


The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

AMBER 14




AMBER 14 vs. AMBER 12




Courtesy of
Scott Le Grand
From GTC 2014
presentation

AMBER 14; large P2P and small Boost Clocks impacts




AMBER Performance Over Time



Courtesy of
Scott Le Grand
From GTC 2014
presentation


Cellulose on K40s, K80s and M6000s




Running **AMBER** version 14

The **blue node** contains Dual Intel E5-2698 v3@2.3GHz, 3.6GHz Turbo CPUs

The **green nodes** contain Dual Intel E5-2698 v3@2.3GHz, 3.6GHz Turbo CPUs + either NVIDIA Tesla K40@875Mhz, Tesla K80@562Mhz (autoboost), or Quadro M6000@987Mhz GPUs




Factor IX on K40s, K80s and M6000s




Running **AMBER** version 14

The **blue node** contains Dual Intel E5-2698 v3@2.3GHz, 3.6GHz Turbo CPUs

The **green nodes** contain Dual Intel E5-2698 v3@2.3GHz, 3.6GHz Turbo CPUs + either NVIDIA Tesla K40@875Mhz, Tesla K80@562Mhz (autoboost), or Quadro M6000@987Mhz GPUs




JAC on K40s, K80s and M6000s




Running **AMBER** version 14

The **blue node** contains Dual Intel E5-2698 v3@2.3GHz, 3.6GHz Turbo CPUs

The **green nodes** contain Dual Intel E5-2698 v3@2.3GHz, 3.6GHz Turbo CPUs + either NVIDIA Tesla K40@875Mhz, Tesla K80@562Mhz (autoboost), or Quadro M6000@987Mhz GPUs




Cellulose on M40s




Running **AMBER** version 14

The **blue node** contain Single Intel Xeon E5-2698 v3@2.30GHz (Haswell) CPUs

The **green nodes** contain Single Intel Xeon E5-2697 v2@2.70GHz (IvyBridge) CPUs + Tesla M40 (autoboost) GPUs




Cellulose on M40s




Running **AMBER** version 14

The **blue node** contain Single Intel Xeon E5-2698 v3@2.30GHz (Haswell) CPUs

The **green nodes** contain Single Intel Xeon E5-2697 v2@2.70GHz (IvyBridge) CPUs + Tesla M40 (autoboost) GPUs




FactorIX on M40s




Running **AMBER** version 14

The **blue node** contain Single Intel Xeon E5-2698 v3@2.30GHz (Haswell) CPUs

The **green nodes** contain Single Intel Xeon E5-2697 v2@2.70GHz (IvyBridge) CPUs + Tesla M40 (autoboost) GPUs




FactorIX on M40s




Running **AMBER** version 14

The **blue node** contain Single Intel Xeon E5-2698 v3@2.30GHz (Haswell) CPUs

The **green nodes** contain Single Intel Xeon E5-2697 v2@2.70GHz (IvyBridge) CPUs + Tesla M40 (autoboost) GPUs




JAC on M40s




Running **AMBER** version 14

The **blue node** contain Single Intel Xeon E5-2698 v3@2.30GHz (Haswell) CPUs

The **green nodes** contain Single Intel Xeon E5-2697 v2@2.70GHz (IvyBridge) CPUs + Tesla M40 (autoboost) GPUs




JAC on M40s




Running **AMBER** version 14

The **blue node** contain Single Intel Xeon E5-2698 v3@2.30GHz (Haswell) CPUs

The **green nodes** contain Single Intel Xeon E5-2697 v2@2.70GHz (IvyBridge) CPUs + Tesla M40 (autoboost) GPUs




Myoglobin on M40s




Running **AMBER** version 14

The **blue node** contain Single Intel Xeon E5-2698 v3@2.30GHz (Haswell) CPUs

The **green nodes** contain Single Intel Xeon E5-2697 v2@2.70GHz (IvyBridge) CPUs + Tesla M40 (autoboost) GPUs




Nucleosome on M40s




Running **AMBER** version 14

The **blue node** contain Single Intel Xeon E5-2698 v3@2.30GHz (Haswell) CPUs

The **green nodes** contain Single Intel Xeon E5-2697 v2@2.70GHz (IvyBridge) CPUs + Tesla M40 (autoboost) GPUs




TrpCage on M40s



Running **AMBER** version 14

The **blue node** contain Single Intel Xeon E5-2698 v3@2.30GHz (Haswell) CPUs

The **green nodes** contain Single Intel Xeon E5-2697 v2@2.70GHz (IvyBridge) CPUs + Tesla M40 (autoboost) GPUs



Recommended GPU Node Configuration for AMBER Computational Chemistry


Workstation or Single Node Configuration

# of CPU sockets	2
Cores per CPU socket	6+ (1 CPU core drives 1 GPU)
CPU speed (Ghz)	2.66+
System memory per node (GB)	16
GPUs	Kepler K20, K40, K80, P100
# of GPUs per CPU socket	1-4
GPU memory preference (GB)	6
GPU to CPU connection	PCIe 3.0 16x or higher
Server storage	2 TB
Network configuration	Infiniband QDR or better


Scale to multiple nodes with same single node configuration

CHARMM DOMDEC-GUI

July 2016



CHARMM DOMDEC-GUI 465 K System Benchmark




Running CHARMM version c40a1

The **blue node** contains Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs + Tesla K80 (autoboost) GPUs

Benchmarks were done based on the STANDARD CHARMM c40a1 version by the Yang group (FSU), who is responsible for possible benchmarking error.

CHARMM DOMDEC-GUI 534 K System Benchmark




Running **CHARMM** version c40a1

The **blue node** contains Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs + Tesla K80 (autoboost) GPUs

Benchmarks were done based on the STANDARD CHARMM c40a1 version by the Yang group (FSU), who is responsible for possible benchmarking error.

CHARMM DOMDEC-GUI 20 K System Benchmark




Running **CHARMM** version c40a1

The **blue node** contains Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs + Tesla M40 GPUs

Benchmarks were done based on the STANDARD CHARMM c40a1 version by the Yang group (FSU), who is responsible for possible benchmarking error.

CHARMM DOMDEC-GUI 61 K System Benchmark




Running **CHARMM** version c40a1

The **blue node** contains Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs + Tesla M40 GPUs

CHARMM DOMDEC-GUI 465 K System Benchmark



Running CHARMM version c40a1


The **blue node** contains Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v3@2.30 GHz (Haswell) CPUs + Tesla M40 GPUs

Benchmarks were done based on the STANDARD CHARMM c40a1 version by the Yang group (FSU), who is responsible for possible benchmarking error.

GROMACS 2016


October 2016



Erik Lindahl (GROMACS developer) video



Water 1.5M on K80s




Running **GROMACS** version 2016

The **blue node** contains Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

Water 3M on K80s




Running **GROMACS** version 2016

The **blue node** contains Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

Water 1.5M on M40s




Running **GROMACS** version 2016

The **blue node** contains Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla M40 (autoboost) GPUs

Water 3M on M40s




Running **GROMACS** version 2016

The **blue node** contains Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla M40 (autoboost) GPUs

Water 1.5M on P40s




Running **GROMACS** version 2016

The **blue node** contains Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P40 GPUs

Water 3M on P40s




Running **GROMACS** version 2016

The **blue node** contains Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P40 GPUs

Water 1.5M on P100 PCles




Running **GROMACS** version 2016

The **blue node** contains Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

Water 3M on P100 PCles




Running **GROMACS** version 2016

The **blue node** contains Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs


The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

GROMACS 5.1.2

February 2017



Water 1.5M on K80s




Running **GROMACS** version 5.1.2

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Water 1.5M on P100s PCIe




Running **GROMACS** version 5.1.2

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Water 1.5M on P100s SXM2




Running **GROMACS** version 5.1.2

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Water 3M on K80s




Running **GROMACS** version 5.1.2

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Water 3M on P100s PCIe




Running **GROMACS** version 5.1.2

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Water 3M on P100s SXM2



Running **GROMACS** version 5.1.2

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)


Recommended GPU Node Configuration for GROMACS Computational Chemistry

Workstation or Single Node Configuration


# of CPU sockets	2
Cores per CPU socket	6+
CPU speed (Ghz)	2.66+
System memory per socket (GB)	32
GPUs	Kepler K20, K40, K80
# of GPUs per CPU socket	1x Kepler GPUs: need fast Sandy Bridge or Ivy Bridge, or high-end AMD Opterons
GPU memory preference (GB)	6
GPU to CPU connection	PCIe 3.0 or higher
Server storage	500 GB or higher
Network configuration	Gemini, InfiniBand

HOOAMD-Blue 1.3.3

February 2017



lj-liquid on K80s




Running HOOMD-Blue version 1.3.3

The blue node contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The green nodes contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

lj-liquid on P100s PCIe




Running **HOOMD-Blue** version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

lj-liquid on P100s SXM2




Running **HOOMD-Blue** version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

lj_liquid_512k on K80s




Running HOOMD-Blue version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

lj_liquid_512k on P100s PCIe




Running HOOMD-Blue version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

lj_liquid_512k on P100s SXM2




Running **HOOMD-Blue** version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

lj_liquid_1m on K80s




Running HOOMD-Blue version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

lj_liquid_1m on P100s PCIe




Running HOOMD-Blue version 1.3.3

The blue node contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The green nodes contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

lj_liquid_1m on P100s SXM2




Running [HOOMD-Blue](#) version 1.3.3

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Microsphere on K80s




Running [HOOMD-Blue](#) version 1.3.3

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Microsphere on P100s PCIe




Running [HOOMD-Blue](#) version 1.3.3

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Microsphere on P100s SXM2




Running [HOOMD-Blue](#) version 1.3.3

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Polymer on K80s




Running **HOOMD-Blue** version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Polymer on P100s PCIe




Running **HOOMD-Blue** version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Polymer on P100s SXM2




Running **HOOMD-Blue** version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Quasicrystal on K80s




Running [HOOMD-Blue](#) version 1.3.3

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Quasicrystal on P100s PCIe




Running **HOOMD-Blue** version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Quasicrystal on P100s SXM2




Running [HOOMD-Blue](#) version 1.3.3

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Triblock-copolymer on K80s




Running **HOOMD-Blue** version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Triblock-copolymer on P100s PCIe




Running **HOOMD-Blue** version 1.3.3

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Triblock-copolymer on P100s SXM2



Running [HOOMD-Blue](#) version 1.3.3


The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs


- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

LAMMPS 2016

February 2017



Atomic-Fluid Lennard-Jones 2.5 Cutoff on K80s




Running [LAMMPS](#) version 2016

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

Atomic-Fluid Lennard-Jones 2.5 Cutoff on P100s PCIe




Running [LAMMPS](#) version 2016

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

Atomic-Fluid Lennard-Jones 2.5 Cutoff on P100s SXM2




Running [LAMMPS](#) version 2016

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 (autoboost) GPUs

Atomic-Fluid Lennard-Jones 5.0 Cutoff on K80s




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Atomic-Fluid Lennard-Jones 5.0 Cutoff on P100s PCIe




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Atomic-Fluid Lennard-Jones 5.0 Cutoff on P100s SXM2




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Course-grain Water on K80s




Running [LAMMPS](#) version 2016

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

Course-grain Water on P100s PCIe




Running [LAMMPS](#) version 2016

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

Course-grain Water on P100s SXM2




Running [LAMMPS](#) version 2016

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

EAM on K80s




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

EAM on P100s PCIe




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

EAM on P100s SXM2




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Gay-Berne on K80s




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Gay-Berne on P100s PCIe




Running [LAMMPS](#) version 2016

The [blue node](#) contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The [green nodes](#) contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Gay-Berne on P100s SXM2




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Rhodopsin on K80s




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

- 1x K80 is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Rhodopsin on P100s PCIe




Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

- 1x P100 PCIe is paired with Single Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Rhodopsin on P100s SXM2



Running [LAMMPS](#) version 2016

The **blue node** contains Dual Intel Xeon E5-2699 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

- 1x P100 SXM2 is paired with Single Intel Xeon E5-2698 v4@2.2GHz [3.6GHz Turbo] (Broadwell)

Recommended GPU Node Configuration for LAMMPS Computational Chemistry


Workstation or Single Node Configuration

# of CPU sockets	2
Cores per CPU socket	6+
CPU speed (Ghz)	2.66+
System memory per socket (GB)	32
GPUs	GTX Titan X, Kepler K20, K40, K80, M40
# of GPUs per CPU socket	1-2
GPU memory preference (GB)	6+
GPU to CPU connection	PCIe 3.0 or higher
Server storage	500 GB or higher
Network configuration	Gemini, InfiniBand


Scale to thousands of nodes with same single node configuration

NAMD 2.12

July 2017



APOA1 on K80s




Running **NAMD** version 2.12

The **blue node** contains Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

APOA1 on P100s PCIe




Running **NAMD** version 2.12

The **blue node** contains Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

APOA1 on P100s SXM2




Running **NAMD** version 2.12

The **blue node** contains Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

F1ATPASE on K80s




Running **NAMD** version 2.12

The **blue node** contains Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

F1ATPASE on P100s PCIe




Running **NAMD** version 2.12

The **blue node** contains Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

F1ATPASE on P100s SXM2




Running **NAMD** version 2.12

The **blue node** contains Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

STMV on K80s




Running **NAMD** version 2.12

The **blue node** contains Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs + Tesla K80 (autoboost) GPUs

STMV on P100s PCIe




Running **NAMD** version 2.12

The **blue node** contains Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs + Tesla P100 PCIe (16GB) GPUs

STMV on P100s SXM2



Running **NAMD** version 2.12

The **blue node** contains Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs

The **green nodes** contain Dual Intel Xeon E5-2690 v4@2.6GHz [3.5GHz Turbo] (Broadwell) CPUs + Tesla P100 SXM2 GPUs

NAMD 2.11 - Up to 2X Faster




New GPU features in NAMD 2.11

Selected Text from the NAMD website


- GPU-accelerated simulations up to twice as fast as NAMD 2.10
- Pressure calculation with fixed atoms on GPU works as on CPU
- Improved scaling for GPU-accelerated particle-mesh Ewald calculation
 - CPU-side operations overlap better and are parallelized across cores.
- Improved scaling for GPU-accelerated simulations
 - Nonbonded force calculation results are streamed from the GPU for better overlap.
- NVIDIA CUDA GPU-acceleration binaries for Mac OS X

NAMD 2.11 is up to 2x faster



NAMD 2.10 & NAMD 2.11 contain Dual Intel E5-2697 v2@2.7GHz (IvyBridge) CPUs + 2 Tesla K80 (autoboost) GPUs


NAMD 2.11 APoA1 on 1 and 2 nodes




Running **NAMD** version 2.11

The **blue nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs

The **green nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs + Tesla K80 (autoboost) GPUs




NAMD 2.11 APoA1 on 4 and 8 nodes




Running **NAMD** version 2.11

The **blue nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs

The **green nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs + Tesla K80 (autoboost) GPUs




NAMD 2.11 is up to 1.8x faster



NAMD 2.10 & NAMD 2.11 contain Dual Intel E5-2697 v2@2.7GHz (IvyBridge) CPUs + 2 Tesla K80 (autoboost) GPUs


NAMD 2.11 F1-ATPase on 1 and 2 nodes




Running **NAMD** version 2.11

The **blue nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs

The **green nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs + Tesla K80 (autoboost) GPUs




NAMD 2.11 F1-ATPase on 4 and 8 nodes




Running **NAMD** version 2.11

The **blue nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs

The **green nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs + Tesla K80 (autoboost) GPUs




NAMD 2.11 is up to 1.5x faster



NAMD 2.10 & NAMD 2.11 contain Dual Intel E5-2697 v2@2.7GHz (IvyBridge) CPUs + 2 Tesla K80 (autoboost) GPUs


NAMD 2.11 STMV on 1 and 2 nodes




Running **NAMD** version 2.11

The **blue nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs

The **green nodes** contain Dual Intel E5-2698 v3@2.3GHz CPUs (Haswell) + Tesla K80 (autoboost) GPUs




NAMD 2.11 STMV on 4 and 8 nodes



Running **NAMD** version 2.11

The **blue nodes** contain Dual Intel E5-2698 v3@2.3GHz (Haswell) CPUs

The **green nodes** contain Dual Intel E5-2698 v3@2.3GHz CPUs (Haswell) + Tesla K80 (autoboost) GPUs



Benefits of MD GPU-Accelerated Computing


Why wouldn't you want to turbocharge your research?

- 3x-8x Faster than CPU only systems in all tests (on average)
- Most major compute intensive aspects of classical MD ported
- Large performance boost with marginal price increase
- Energy usage cut by more than half
- GPUs scale well within a node and/or over multiple nodes
- K80 GPU is our fastest and lowest power high performance GPU yet

Try GPU accelerated MD apps for free – www.nvidia.com/GPUTestDrive

Molecular Dynamics (MD) on GPUs

Dec. 19, 2016



GPU-Accelerated Quantum Chemistry Apps

Green Lettering Indicates Performance Slides Included

- ▶ Abinit
- ▶ ACES III
- ▶ ADF
- ▶ BigDFT
- ▶ CP2K
- ▶ GAMESS-US
- ▶ Gaussian
- ▶ GPAW
- ▶ LATTE
- ▶ LSDalton
- ▶ MOLCAS
- ▶ Mopac2012
- ▶ NWChem
- ▶ Octopus
- ▶ ONETEP
- ▶ Petot
- ▶ Q-Chem
- ▶ QMCPACK
- ▶ Quantum Espresso
- ▶ Quantum SuperCharger Library
- ▶ RMG
- ▶ TeraChem
- ▶ UNM
- ▶ VASP
- ▶ WL-LSMS

GPU Perf compared against dual multi-core x86 CPU socket.